




Fig. 1B



GDF-8



GDF-8 + INSULIN



CONTROL



INSULIN

Fig. 2




Fig. 3

A bar graph showing the body weight of total tumor for two groups. The y-axis is labeled 'BODY (TOTAL-TUMOR) WEIGHT (g)' and ranges from 10 to 30. The x-axis is labeled 'GROUP' and has two categories: 1 and 2. Group 1 has a mean weight of approximately 25.5g, and Group 2 has a mean weight of approximately 18g. An asterisk (*) above Group 2 indicates a significant difference.

GROUP	BODY (TOTAL-TUMOR) WEIGHT (g)
1	~25.5
2	~18.0*

A bar chart comparing the mean tumor weight in grams for two groups. The y-axis is labeled 'TUMOR WEIGHT (g)' and ranges from 0.0 to 1.8 with major ticks every 0.3 units. The x-axis is labeled 'GROUP' and has two categories: 1 and 2. Group 1 has a mean tumor weight of approximately 1.1 g, with an error bar extending from about 0.9 g to 1.4 g. Group 2 has a mean tumor weight of approximately 0.6 g, with an error bar extending from about 0.5 g to 0.7 g.

GROUP	MEAN TUMOR WEIGHT (g)	STANDARD DEVIATION (g)
1	1.1	0.2
2	0.6	0.1

GROUP	PECTORALIS WEIGHT (mg)
1	~210
2	~120*

Fig. 4C

6/11




Fig. 4D




Fig. 4E




Fig. 5




Fig. 6A




Fig. 6B




Fig. 7




Fig. 8




Fig. 9